

richards lake cabin

Quote #: GD5B8JN

A Proposal for Window and Door Products prepared for:

Shipping Address:

SCHERER BROTHERS LUMBER CO-SHAKOPEE
3253 4TH AVE E
SHAKOPEE, MN 55379-1772

BRAD KELZER
SCHERER BROTHERS-GO
9401 73RD AVE N STE 400
BROOKLYN PARK, MN 55428-1022
Phone: (952) 277-1624

Email: bkelzer@schererbros.com

This report was generated on 6/6/2014 10:01:32 AM using the Marvin Order Management System, version 0001.18.00 (Current). Price in USD. Unit availability and price are subject to change. Dealer terms and conditions may apply.

Featuring products from:



UNIT SUMMARY

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.

Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

NUMBER OF LINES: 15		TOTAL UNIT QTY: 25		EXT NET PRICE: USD		30,628.00
LINE	MARK UNIT	BRAND	ITEM	NET PRICE	QTY	EXTENDED NET PRICE
1	mb	Marvin	Clad Sliding Patio Door CN 10068 RO 120" X 82 1/2" Entered as CN 100 X 68	3,934.52	1	3,934.52
2	lr	Marvin	Clad Sliding Patio Door CN 12068 RO 144" X 82 1/2" Entered as CN 120 X 68	4,290.96	1	4,290.96
3	fr	Marvin	Clad Sliding Patio Door CN 16068 RO 192" X 82 1/2" Entered as CN 160 X 68	5,018.28	1	5,018.28
4	MAC	Marvin	Clad Marvin Assembly RO 61" X 78 3/4" Entered as Size by Units	1,885.56	1	1,885.56
6	PORCH	Marvin	Clad Ultimate Casement CN 2654 RO 27" X 53 5/8" Entered as CN 26 X 54	552.52	5	2,762.60
7	porch	Marvin	Clad Polygon Direct Glaze RO 120" X 36" Entered as RO 120" X 36"	1,051.08	1	1,051.08
8	KIT	Marvin	Clad Ultimate Casement CN 2036 RO 21" X 35 5/8" Entered as CN 20 X 36	421.80	2	843.60
9	STAIR	Marvin	Clad Ultimate Casement CN 2060 RO 21" X 59 5/8" Entered as CN 20 X 60	541.88	2	1,083.76
10	mb	Marvin	Clad Marvin Assembly RO 31" X 78 3/4" Entered as Size by Units	1,086.80	2	2,173.60
11	bath up	Marvin	Clad Ultimate Awning CN 2020 RO 21" X 19 5/8" Entered as CN 20 X 20	358.72	1	358.72
12	stair	Marvin	Clad Marvin Assembly RO 31" X 78 3/4" Entered as Size by Units	1,311.76	2	2,623.52
13	porch	Marvin	Clad Ultimate Casement CN 2064 RO 21" X 63 5/8" Entered as CN 20 X 64	712.88	1	712.88
14	PORCH	Marvin	Clad Ultimate Casement Picture CN 6064 RO 61" X 63 5/8" Entered as CN 60 X 64	1,171.16	1	1,171.16
15	LAUNDRY	Marvin	Clad Ultimate Awning CN 2616 RO 27" X 15 5/8" Entered as CN 26 X 16	367.84	3	1,103.52

16	PORCH	Marvin	Clad Ultimate Inswing French Door CN 3068 RO 38 7/16" X 82 1/2" Entered as CN 30 X 68	1,614.24	1	1,614.24
----	-------	--------	--	----------	---	----------


LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit: mb	Net Price:	3,934.52
Qty: 1		Ext. Net Price:	USD 3,934.52



Built around you:



As Viewed From The Exterior


Entered As: CN
CN 10068
FS 119" X 82"
RO 120" X 82 1/2"
Performance Information
 ENERGY STAR: Not Available
 ENERGY STAR Most Efficient: Not Available
 U-Factor: 0.30
 Solar Heat Gain Coefficient: 0.32
 Condensation Resistance: 57
 Visible Light Transmittance: 0.54
 CPD Number: MAR-N-263-00659-00001
Performance Grade
 Licensee #407-H-768
 AAMA/WDMA/CSA/101/I.S.2/A440-08
 LC-PG25 3632X2426 mm (143X95.5 in)
 LC-PG25 DP +25/-25
 FL4939

Bahama Brown Clad Exterior
 Bare Pine Interior
 Clad Sliding Patio Door - OXXO Left Hand
 CN 10068
 Rough Opening 120" X 82 1/2" 2,980.72
 **Panel Ship Separate
 Left Panel
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Stainless Perimeter Bar
 Ovolo Interior Glazing Profile
 Left Center Panel
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Stainless Perimeter Bar
 Ovolo Interior Glazing Profile
 Right Center Panel
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Stainless Perimeter Bar
 Ovolo Interior Glazing Profile
 Right Panel
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Stainless Perimeter Bar
 Ovolo Interior Glazing Profile
 2 Point Multi-Point Lock on Active Panel
 Oil Rubbed Bronze Active Handle Set on Active Panel Non-Keyed 376.96
 Exterior Ultimate Sliding Screen w/ Roller Assembly 513.76
 Bahama Brown Surround
 Charcoal Fiberglass Mesh
 ***Screen/Combo Ship Loose
 Std Ultrex Sill
 Beige Ultrex Sill
 Beige Weather Strip
 6 9/16" Jambs 63.08
 ***Jamb Extension Ship Loose
 Nailing Fin

Line #2	Mark Unit: lr	Net Price:	4,290.96
Qty: 1		Ext. Net Price:	USD 4,290.96



Built around you:



As Viewed From The Exterior


Entered As: CN
 OMS Ver. 0001.18.00 (Current)

Bahama Brown Clad Exterior
 Bare Pine Interior
 Clad Sliding Patio Door - OXXO Left Hand
 CN 12068
 Rough Opening 144" X 82 1/2" 3,309.04
 **Panel Ship Separate
 Left Panel
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Stainless Perimeter Bar
 Ovolo Interior Glazing Profile

CN 12068
FS 143" X 82"
RO 144" X 82 1/2"
Performance Information
 ENERGY STAR: Not Available
 ENERGY STAR Most Efficient: Not Available
 U-Factor: 0.30
 Solar Heat Gain Coefficient: 0.32
 Condensation Resistance: 57
 Visible Light Transmittance: 0.54
 CPD Number: MAR-N-263-00659-00001
Performance Grade
 Licensee #407-H-768
 AAMA/WDMA/CSA/101/I.S.2/A440-08
 LC-PG25 3632X2426 mm (143X95.5 in)
 LC-PG25 DP +25/-25
 FL4939

Left Center Panel
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Stainless Perimeter Bar
 Ovolo Interior Glazing Profile
 Right Center Panel
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Stainless Perimeter Bar
 Ovolo Interior Glazing Profile
 Right Panel
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Stainless Perimeter Bar
 Ovolo Interior Glazing Profile
 2 Point Multi-Point Lock on Active Panel
 Oil Rubbed Bronze Active Handle Set on Active Panel Non-Keyed 376.96
 Exterior Ultimate Sliding Screen w/ Roller Assembly 536.56
 Bahama Brown Surround
 Charcoal Fiberglass Mesh
 ***Screen/Combo Ship Loose
 Std Ultrex Sill
 Beige Ultrex Sill
 Beige Weather Strip
 6 9/16" Jambs 68.40
 ***Jamb Extension Ship Loose
 Nailing Fin

Line #3	Mark Unit: fr	Net Price:		5,018.28
Qty: 1		Ext. Net Price:	USD	5,018.28




As Viewed From The Exterior

Entered As: CN
CN 16068
FS 191" X 82"
RO 192" X 82 1/2"
Performance Information
 ENERGY STAR: Not Available
 ENERGY STAR Most Efficient: Not Available
 U-Factor: 0.30
 Solar Heat Gain Coefficient: 0.32
 Condensation Resistance: 57
 Visible Light Transmittance: 0.54
 CPD Number: MAR-N-263-00659-00001
Performance Grade
 Licensee #407-H-768
 AAMA/WDMA/CSA/101/I.S.2/A440-08
 LC-PG25 4851X2083 mm (191X82 in)
 LC-PG25 DP +25/-25
 FL4939

Bahama Brown Clad Exterior
 Bare Pine Interior
 Clad Sliding Patio Door - OXXO Left Hand
 CN 16068
 Rough Opening 192" X 82 1/2" 3,980.12
 **Panel Ship Separate
 Left Panel
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Stainless Perimeter Bar
 Ovolo Interior Glazing Profile
 Left Center Panel
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Stainless Perimeter Bar
 Ovolo Interior Glazing Profile
 Right Center Panel
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Stainless Perimeter Bar
 Ovolo Interior Glazing Profile
 Right Panel
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Stainless Perimeter Bar
 Ovolo Interior Glazing Profile
 2 Point Multi-Point Lock on Active Panel
 Oil Rubbed Bronze Active Handle Set on Active Panel Non-Keyed 376.96

Exterior Ultimate Sliding Screen w/ Roller Assembly 582.16
 Bahama Brown Surround
 Charcoal Fiberglass Mesh
 ***Screen/Combo Ship Loose
 Std Ultrex Sill
 Beige Ultrex Sill
 Beige Weather Strip
 6 9/16" Jamb
 *** Jamb Extension Ship Loose 79.04
 Nailing Fin

Line #4	Mark Unit: MAC	Net Price:		1,885.56
Qty: 1		Ext. Net Price:	USD	1,885.56



Entered As: Size by Units
FS 60" X 78 1/4"
RO 61" X 78 3/4"

Performance Information A1
 ENERGY STAR: N, NC
 ENERGY STAR Most Efficient: Not Available
 U-Factor: 0.28
 Solar Heat Gain Coefficient: 0.33
 Condensation Resistance: 57
 Visible Light Transmittance: 0.57
 CPD Number: MAR-N-344-02820-00001

Performance Information B1, B2
 ENERGY STAR: N, NC, SC, S
 ENERGY STAR Most Efficient: Not Available
 U-Factor: 0.30
 Solar Heat Gain Coefficient: 0.26
 Condensation Resistance: 57
 Visible Light Transmittance: 0.44
 CPD Number: MAR-N-343-01891-00001

Performance Grade A1
 Licensee #407-H-1016
 AAMA/WDMA/CSA/101/I.S.2/A440-08
 AW-PG50 1524X2515 mm (60X99 in)
 AW-PG50 DP +50/-50
 FL10325

Performance Grade B1, B2
 Licensee #407-H-922
 AAMA/WDMA/CSA/101/I.S.2/A440-08
 LC-PG50 1016X1197 mm (40X47.13 in)
 LC-PG50 DP +50/-50
 FL10323

Bahama Brown Clad Exterior
 Bare Pine Interior
 2W2H - Custom Shape Assembly
 Assembly Rough Opening
 61" X 78 3/4"

Unit: A1
 Clad Ultimate Casement Picture
 CN 6060
 Rough Opening 61" X 59 5/8"
 Frame Size 60" X 59 1/8" 788.12
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 3/4 in - 1 Lite
 LoE 272 w/Argon
 Stainless Perimeter Bar
 Ovolo Interior Glazing Profile 44.84
 Standard Bottom Rail
 Beige Weather Strip
 Solid Wood Covers

Unit: B1
 Clad Ultimate Awning - Roto Operating
 CN 3020
 Rough Opening 31" X 19 5/8"
 Frame Size 30" X 19 1/8" 338.96
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 3/4 in - 1 Lite
 LoE 272 w/Argon
 Stainless Perimeter and Spacer Bar
 7/8" SDL - With Spacer Bar - Stainless
 Rectangular - Special Cut 3W2H
 Bahama Brown Clad Ext - Bare Pine Int 102.60
 Ovolo Interior Glazing Profile 44.84
 Standard Bottom Rail
 Beige Weather Strip


Unit: B2
 Clad Ultimate Awning - Roto Operating
 CN 3020
 Rough Opening 31" X 19 5/8"
 Frame Size 30" X 19 1/8" 338.96
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 3/4 in - 1 Lite
 LoE 272 w/Argon
 Stainless Perimeter and Spacer Bar
 7/8" SDL - With Spacer Bar - Stainless
 Rectangular - Special Cut 3W2H
 Bahama Brown Clad Ext - Bare Pine Int 102.60
 Ovolo Interior Glazing Profile 44.84
 Standard Bottom Rail
 Beige Weather Strip

Satin Taupe Folding Handle
 Satin Taupe Multi - Point Lock
 Aluminum Screen
 Satin Taupe Surround
 Charcoal Fiberglass Mesh
 Factory Mull Charge 18.24
 6 9/16" Jamb 61.56
 ***Jamb Extension Ship Loose
 Nailing Fin

Line #6	Mark Unit: PORCH	Net Price:	552.52
Qty: 5		Ext. Net Price:	2,762.60
		USD	



Built around you:



As Viewed From The Exterior

Entered As: CN
 CN 2654
 FS 26" X 53 1/8"
 RO 27" X 53 5/8"

Performance Information
 ENERGY STAR: N, NC, SC
 ENERGY STAR Most Efficient: Not Available
 U-Factor: 0.29
 Solar Heat Gain Coefficient: 0.29
 Condensation Resistance: 58
 Visible Light Transmittance: 0.49
 CPD Number: MAR-N-342-02725-00001


Performance Grade
 Licensee #407-H-940
 AAMA/WDMA/CSA/101/I.S.2/A440-08
 CW-PG50 914X2442 mm (36X96.13 in)
 CW-PG50 DP +50/-50
 FL10321

Bahama Brown Clad Exterior
 Bare Pine Interior
 Clad Ultimate Casement - Left Hand
 CN 2654
 Rough Opening 27" X 53 5/8" 472.72
 Frame Size 26" X 53 1/8"
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 3/4 in - 1 Lite
 LoE 272 w/Argon
 Stainless Perimeter Bar
 Ovolo Interior Glazing Profile 44.84
 Standard Bottom Rail
 Beige Weather Strip
 Satin Taupe Folding Handle
 Satin Taupe Multi - Point Lock
 Aluminum Screen
 Satin Taupe Surround
 Charcoal Fiberglass Mesh
 6 9/16" Jamb 34.96
 ***Jamb Extension Ship Loose
 Nailing Fin

Line #7	Mark Unit: porch	Net Price:	1,051.08
Qty: 1		Ext. Net Price:	1,051.08
		USD	



Built around you:



As Viewed From The Exterior

Entered As: RO
 FS 119" X 35 15/32"
 RO 120" X 36"

Performance Information
 Product Performance Information is currently unavailable in the OMS for this product and glazing option. To request product performance information not in the OMS, contact your Marvin representative or submit an Assistance Request.


Performance Grade
 Licensee #407-H-1117
 AAMA/WDMA/CSA/101/I.S.2/A440-08
 CW-PG50 2134X2438 mm (84X96 in)
 CW-PG50 DP +50/-60
 FL4781

Bahama Brown Clad Exterior
 Bare Pine Interior
 Clad Polygon Direct Glaze
 P5-1
 Rough Opening 120" X 36"
 Unit Is Not Certified
 S1 Rough Opening 12"
 Frame Size 119" X 35 15/32" 981.92
 IG - 1 Lite
 LoE 272 w/Argon
 Stainless Perimeter Bar
 6 9/16" Jamb 69.16
 ***Jamb Extension Ship Loose
 Nailing Fin

Line #8	Mark Unit: KIT	Net Price:		421.80
Qty: 2		Ext. Net Price:	USD	843.60



Built around you.™



As Viewed From The Exterior

Entered As: CN

CN 2036

FS 20" X 35 1/8"

RO 21" X 35 5/8"

Performance Information

ENERGY STAR: N, NC, SC
 ENERGY STAR Most Efficient: Not Available
 U-Factor: 0.29
 Solar Heat Gain Coefficient: 0.29
 Condensation Resistance: 58
 Visible Light Transmittance: 0.49
 CPD Number: MAR-N-342-02725-00001

Performance Grade

Licensee #407-H-940
 AAMA/WDMA/CSA/101/I.S.2/A440-08
 CW-PG50 914X2442 mm (36X96.13 in)
 CW-PG50 DP +50/-50
 FL10321

Bahama Brown Clad Exterior
 Bare Pine Interior
 Clad Ultimate Casement - Left Hand
 CN 2036
 Rough Opening 21" X 35 5/8"
 Frame Size 20" X 35 1/8" 352.64
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 3/4 in - 1 Lite
 LoE 272 w/Argon
 Stainless Perimeter Bar
 Ovolo Interior Glazing Profile 44.84
 Standard Bottom Rail
 Beige Weather Strip
 Satin Taupe Folding Handle
 Satin Taupe Multi - Point Lock
 Aluminum Screen
 Satin Taupe Surround
 Charcoal Fiberglass Mesh
 6 9/16" Jamb 24.32
 ***Jamb Extension Ship Loose
 Nailing Fin

Line #9	Mark Unit: STAIR	Net Price:		541.88
Qty: 2		Ext. Net Price:	USD	1,083.76



Built around you.™



As Viewed From The Exterior

Entered As: CN

CN 2060

FS 20" X 59 1/8"

RO 21" X 59 5/8"

Performance Information

ENERGY STAR: N, NC, SC, S
 ENERGY STAR Most Efficient: Not Available
 U-Factor: 0.29
 Solar Heat Gain Coefficient: 0.26
 Condensation Resistance: 58
 Visible Light Transmittance: 0.44
 CPD Number: MAR-N-342-02903-00001


Performance Grade

Licensee #407-H-940
 AAMA/WDMA/CSA/101/I.S.2/A440-08
 CW-PG50 914X2442 mm (36X96.13 in)
 CW-PG50 DP +50/-50
 FL10321

Bahama Brown Clad Exterior
 Bare Pine Interior
 Clad Ultimate Casement - Stationary
 CN 2060
 Rough Opening 21" X 59 5/8"
 Frame Size 20" X 59 1/8" 400.52
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 3/4 in - 1 Lite
 LoE 272 w/Argon
 Stainless Perimeter and Spacer Bar
 7/8" SDL - With Spacer Bar - Stainless
 Rectangular - Special Cut 1W3H
 Bahama Brown Clad Ext - Bare Pine Int 61.56
 Ovolo Interior Glazing Profile 44.84
 Standard Bottom Rail
 Beige Weather Strip
 Solid Wood Covers
 6 9/16" Jamb 34.96
 ***Jamb Extension Ship Loose
 Nailing Fin

Line #10	Mark Unit: mb	Net Price:		1,086.80
Qty: 2		Ext. Net Price:	USD	2,173.60

Bahama Brown Clad Exterior
 Bare Pine Interior




Entered As: Size by Units
FS 30" X 78 1/4"
RO 31" X 78 3/4"
Performance Information A1
 ENERGY STAR: N, NC, SC, S
 ENERGY STAR Most Efficient: Not Available
 U-Factor: 0.29
 Solar Heat Gain Coefficient: 0.26
 Condensation Resistance: 58
 Visible Light Transmittance: 0.44
 CPD Number: MAR-N-342-02903-00001
Performance Information B1
 ENERGY STAR: N, NC, SC, S
 ENERGY STAR Most Efficient: Not Available
 U-Factor: 0.30
 Solar Heat Gain Coefficient: 0.26
 Condensation Resistance: 57
 Visible Light Transmittance: 0.44
 CPD Number: MAR-N-343-01891-00001
Performance Grade A1
 Licensee #407-H-940
 AAMA/WDMA/CSA/101/I.S.2/A440-08
 CW-PG50 914X2442 mm (36X96.13 in)
 CW-PG50 DP +50/-50
 FL10321
Performance Grade B1
 Licensee #407-H-922
 AAMA/WDMA/CSA/101/I.S.2/A440-08
 LC-PG50 1016X1197 mm (40X47.13 in)
 LC-PG50 DP +50/-50
 FL10323

1W2H - Rectangle Assembly
 Assembly Rough Opening
 31" X 78 3/4"

Unit: A1
 Clad Ultimate Casement - Stationary
 CN 3060
 Rough Opening 31" X 59 5/8"
 Frame Size 30" X 59 1/8" 478.04
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 3/4 in - 1 Lite
 LoE 272 w/Argon
 Stainless Perimeter and Spacer Bar
 7/8" SDL - With Spacer Bar - Stainless
 Rectangular - Special Cut 1W3H
 Bahama Brown Clad Ext - Bare Pine Int 61.56
 Ovolo Interior Glazing Profile 44.84
 Standard Bottom Rail
 Beige Weather Strip
 Solid Wood Covers

Unit: B1
 Clad Ultimate Awning - Roto Operating
 CN 3020
 Rough Opening 31" X 19 5/8"
 Frame Size 30" X 19 1/8" 338.96
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 3/4 in - 1 Lite
 LoE 272 w/Argon
 Stainless Perimeter and Spacer Bar
 7/8" SDL - With Spacer Bar - Stainless
 Rectangular - Special Cut 1W3H
 Bahama Brown Clad Ext - Bare Pine Int 61.56
 Ovolo Interior Glazing Profile 44.84
 Standard Bottom Rail
 Beige Weather Strip
 Satin Taupe Folding Handle
 Satin Taupe Multi - Point Lock
 Aluminum Screen
 Satin Taupe Surround
 Charcoal Fiberglass Mesh
 Factory Mull Charge 9.12
 6 9/16" Jamb 47.88
 ***Jamb Extension Ship Loose
 Nailing Fin

Line #11	Mark Unit: bath up	Net Price:	358.72
Qty: 1		Ext. Net Price:	358.72
		USD	



Entered As: CN
CN 2020
FS 20" X 19 1/8"
RO 21" X 19 5/8"
Performance Information
 ENERGY STAR: N, NC, SC
 ENERGY STAR Most Efficient: Not Available
 U-Factor: 0.30
 Solar Heat Gain Coefficient: 0.29
 Condensation Resistance: 57

Bahama Brown Clad Exterior
 Bare Pine Interior
 Clad Ultimate Awning - Roto Operating
 CN 2020
 Rough Opening 21" X 19 5/8"
 Frame Size 20" X 19 1/8" 296.40
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 3/4 in - 1 Lite
 LoE 272 w/Argon
 Stainless Perimeter Bar
 Ovolo Interior Glazing Profile 44.84
 Standard Bottom Rail
 Beige Weather Strip
 Satin Taupe Folding Handle
 Satin Taupe Multi - Point Lock
 Aluminum Screen
 Satin Taupe Surround
 Charcoal Fiberglass Mesh
 6 9/16" Jamb 17.48
 ***Jamb Extension Ship Loose
 Nailing Fin

Visible Light Transmittance: 0.49
 CPD Number: MAR-N-343-01713-00001
Performance Grade
 Licensee #407-H-922
 AAMA/WDMA/CSA/101/I.S.2/A440-08
 LC-PG50 1016X1197 mm (40X47.13 in)
 LC-PG50 DP +50/-50
 FL10323

Line #12	Mark Unit: stair	Net Price:		1,311.76
Qty: 2		Ext. Net Price:	USD	2,623.52



As Viewed From The Exterior

Entered As: Size by Units
FS 30" X 78 1/4"
RO 31" X 78 3/4"
Performance Information A1
 ENERGY STAR: N, NC, SC, S
 ENERGY STAR Most Efficient: Not Available
 U-Factor: 0.29
 Solar Heat Gain Coefficient: 0.26
 Condensation Resistance: 58
 Visible Light Transmittance: 0.44
 CPD Number: MAR-N-342-02903-00001
Performance Information B1
 ENERGY STAR: N, NC, SC, S
 ENERGY STAR Most Efficient: Not Available
 U-Factor: 0.30
 Solar Heat Gain Coefficient: 0.26
 Condensation Resistance: 57
 Visible Light Transmittance: 0.44
 CPD Number: MAR-N-343-01891-00001
Performance Grade A1
 Licensee #407-H-940
 AAMA/WDMA/CSA/101/I.S.2/A440-08
 CW-PG50 914X2442 mm (36X96.13 in)
 CW-PG50 DP +50/-50
 FL10321
Performance Grade B1
 Licensee #407-H-922
 AAMA/WDMA/CSA/101/I.S.2/A440-08
 LC-PG50 1016X1197 mm (40X47.13 in)
 LC-PG50 DP +50/-50
 FL10323

Bahama Brown Clad Exterior
 Bare Pine Interior
 1W2H - Rectangle Assembly
 Assembly Rough Opening
 31" X 78 3/4"

Unit: A1
 Clad Ultimate Casement - Stationary
 CN 3060
 Rough Opening 31" X 59 5/8"
 Frame Size 30" X 59 1/8" 478.04

Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 3/4 in - 1 Lite
 Tempered LoE 272 w/Argon 166.44
 Stainless Perimeter and Spacer Bar
 7/8" SDL - With Spacer Bar - Stainless
 Rectangular - Special Cut 1W3H
 Bahama Brown Clad Ext - Bare Pine Int 61.56
 Ovolo Interior Glazing Profile 44.84
 Standard Bottom Rail
 Beige Weather Strip
 Solid Wood Covers


Unit: B1
 Clad Ultimate Awning - Roto Operating
 CN 3020
 Rough Opening 31" X 19 5/8"
 Frame Size 30" X 19 1/8" 338.96

Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 3/4 in - 1 Lite
 Tempered LoE 272 w/Argon 58.52
 Stainless Perimeter and Spacer Bar
 7/8" SDL - With Spacer Bar - Stainless
 Rectangular - Special Cut 1W3H
 Bahama Brown Clad Ext - Bare Pine Int 61.56
 Ovolo Interior Glazing Profile 44.84
 Standard Bottom Rail
 Beige Weather Strip
 Satin Taupe Folding Handle
 Satin Taupe Multi - Point Lock
 Aluminum Screen
 Satin Taupe Surround
 Charcoal Fiberglass Mesh
 Factory Mull Charge 9.12
 6 9/16" Jamb 47.88
 ***Jamb Extension Ship Loose
 Nailing Fin

Line #13	Mark Unit: porch	Net Price:		712.88
Qty: 1		Ext. Net Price:	USD	712.88



Bahama Brown Clad Exterior
 Bare Pine Interior
 Clad Ultimate Casement - Left Hand
 CN 2064
 Rough Opening 21" X 63 5/8"
 Frame Size 20" X 63 1/8" 491.72
 Bahama Brown Clad Sash Exterior




As Viewed From The Exterior

Entered As: CN
CN 2064
FS 20" X 63 1/8"
RO 21" X 63 5/8"
Performance Information
 ENERGY STAR: N, NC, SC
 ENERGY STAR Most Efficient: Not Available
 U-Factor: 0.29
 Solar Heat Gain Coefficient: 0.29
 Condensation Resistance: 58
 Visible Light Transmittance: 0.49
 CPD Number: MAR-N-342-02725-00001
Performance Grade
 Licensee #407-H-940
 AAMA/WDMA/CSA/101/I.S.2/A440-08
 CW-PG50 914X2442 mm (36X96.13 in)
 CW-PG50 DP +50/-50
 FL10321

Bare Pine Sash Interior
 IG - 3/4 in - 1 Lite
 Tempered LoE 272 w/Argon 139.84
 Stainless Perimeter Bar
 Ovolo Interior Glazing Profile 44.84
 Standard Bottom Rail
 Beige Weather Strip
 Satin Taupe Folding Handle
 Satin Taupe Multi - Point Lock
 Aluminum Screen
 Satin Taupe Surround
 Charcoal Fiberglass Mesh
 6 9/16" Jamb 36.48
 ***Jamb Extension Ship Loose
 Nailing Fin

Line #14	Mark Unit: PORCH	Net Price:		1,171.16
Qty: 1		Ext. Net Price:	USD	1,171.16



As Viewed From The Exterior


Entered As: CN
CN 6064
FS 60" X 63 1/8"
RO 61" X 63 5/8"
Performance Information
 ENERGY STAR: N, NC
 ENERGY STAR Most Efficient: Not Available
 U-Factor: 0.28
 Solar Heat Gain Coefficient: 0.33
 Condensation Resistance: 57
 Visible Light Transmittance: 0.57
 CPD Number: MAR-N-344-02820-00001
Performance Grade
 Licensee #407-H-1016
 AAMA/WDMA/CSA/101/I.S.2/A440-08
 AW-PG50 1524X2515 mm (60X99 in)
 AW-PG50 DP +50/-50
 FL10325

Bahama Brown Clad Exterior
 Bare Pine Interior
 Clad Ultimate Casement Picture
 CN 6064
 Rough Opening 61" X 63 5/8"
 Frame Size 60" X 63 1/8" 788.12
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 3/4 in - 1 Lite
 Tempered LoE 272 w/Argon 283.48
 Stainless Perimeter Bar
 Ovolo Interior Glazing Profile 44.84
 Standard Bottom Rail
 Beige Weather Strip
 Solid Wood Covers
 6 9/16" Jamb 54.72
 ***Jamb Extension Ship Loose
 Nailing Fin

Line #15	Mark Unit: LAUNDRY	Net Price:		367.84
Qty: 3		Ext. Net Price:	USD	1,103.52



Bahama Brown Clad Exterior
 Bare Pine Interior
 Clad Ultimate Awning - Roto Operating
 CN 2616
 Rough Opening 27" X 15 5/8"
 Frame Size 26" X 15 1/8" 304.76
 Bahama Brown Clad Sash Exterior




As Viewed From The Exterior

Entered As: CN
CN 2616
FS 26" X 15 1/8"
RO 27" X 15 5/8"
Performance Information
 ENERGY STAR: N, NC, SC
 ENERGY STAR Most Efficient: Not Available
 U-Factor: 0.30
 Solar Heat Gain Coefficient: 0.29
 Condensation Resistance: 57
 Visible Light Transmittance: 0.49
 CPD Number: MAR-N-343-01713-00001
Performance Grade
 Licensee #407-H-922
 AAMA/WDMA/CSA/101/I.S.2/A440-08
 LC-PG50 1016X1197 mm (40X47.13 in)
 LC-PG50 DP +50/-50
 FL10323

Bare Pine Sash Interior
 IG - 3/4 in - 1 Lite
 LoE 272 w/Argon
 Stainless Perimeter Bar
 Ovolo Interior Glazing Profile 44.84
 Standard Bottom Rail
 Beige Weather Strip
 Satin Taupe Folding Handle
 Satin Taupe Multi - Point Lock
 Aluminum Screen
 Satin Taupe Surround
 Charcoal Fiberglass Mesh
 6 9/16" Jambes 18.24
 ***Jamb Extension Ship Loose
 Nailing Fin

Line #16	Mark Unit: PORCH	Net Price:		1,614.24
Qty: 1		Ext. Net Price:	USD	1,614.24



As Viewed From The Exterior

Entered As: CN
CN 3068
FS 37 7/16" X 82"
RO 38 7/16" X 82 1/2"
Performance Information
 ENERGY STAR: N, NC, SC, S
 ENERGY STAR Most Efficient: Not Available
 U-Factor: 0.31
 Solar Heat Gain Coefficient: 0.24
 Condensation Resistance: 61
 Visible Light Transmittance: 0.40
 CPD Number: MAR-N-392-14207-00001
Performance Grade
 Licensee #407-H-1077
 AAMA/WDMA/CSA/101/I.S.2/A440-08
 LC-PG30 1106X2184 mm (43.56X86 in)
 LC-PG30 DP +30/-30

Bahama Brown Clad Exterior
 Bare Pine Interior
 Clad Ultimate Inswing French Door 6 9/16" - X Left Hand
 CN 3068
 Rough Opening 38 7/16" X 82 1/2" 1,243.36
 Traditional Panels
 Bahama Brown Clad Sash Exterior
 Bare Pine Sash Interior
 IG - 1 Lite
 Tempered LoE 272 w/Argon
 Stainless Perimeter Bar
 Ovolo Interior Glazing Profile
 Traditional Lever(s)
 Multi-Point Lock on Active Panel
 Oil Rubbed Bronze Active Handle Set on Active Panel Keyed 254.60
 Dark Bronze Adjustable Hinges 3 Per Panel 20.52
 Beige Ultrex Sill
 Beige Weather Strip
 Oak Sill Liner 9.88
 Non Finger Joint Door Option for Secondary Surface 85.88
 6 9/16" Jambes
 Nailing Fin

Project Subtotal Net Price: USD 30,628.00
 0.000% Sales Tax: USD 0.00
 Project Total Net Price: USD 30,628.00

Product and Performance Information

NFRC energy ratings and values may vary depending on the exact configuration of glass thickness used on the unit. This data may change over time due to ongoing product changes or updated test results or requirements.

The National Fenestration Rating Council (NFRC) has developed and operates a uniform national rating system for the energy performance of fenestration products, including windows and doors. For additional information regarding this rating system, see www.nfrc.org/WindowRatings.

PURCHASE APPROVAL/SIGN OFF

Project Subtotal Net Price: USD	30,628.00
0.000% Sales Tax: USD	0.00
Project Total Net Price: USD	30,628.00

I have reviewed all line item quotes in detail and agree that the product specifications and pricing are accurate, and I approve the project for order. I acknowledge that additional charges, tax or Terms and Conditions may apply.

Seller: _____

Buyer: _____